

Yes

Name of officiant holding the service

We have Obitus visual and audio in our chapel, this can either be controlled by the officiant at the lecturn or by the chapel attendant in the control room. Please indicate your preference:

Officiant (via lecturn) ☐

Chapel Attendant (via control room) ☐

Do you wish to collect any floral tributes? No ☐ Yes ☐

Do you wish for floral tributes to be donated to the Woodland Herd? No ☐ Yes ☐

*We encourage all users of our site use floral tributes which are kind to our environment with limited or no use of oasis and harmful plastic. All floral tributes will be composted on site and where possible waste materials recycled.*

► Part 3 Coffin Details

Coffin Material


External Coffin Dimensions (feet / inches) (including handles)

Length

Width

Depth

(from the base to the top of the lid)



MAXIMUM COFFIN DIMENSIONS

Length: 7'2" Width 38" Depth 29"

Maximum coffin dimensions  
for chapel wheeled beir

Length: 84" Width 28"

Maximum Weight 20 stone

Deceased Weight (including coffin)

► Part 4 Applicant's Details / Nominated Representative

Title

Forenames (in full)

Surname

Address

Telephone Number

Email

Relationship to Deceased:

## ► Part 5 Collection and Dispatch of Remains

Release remains to:

☐

Funeral Director

☐

Applicant

Full name of Nominated Applicant. Photo I.D must be provided

**Note:** Cremated remains will be stored free of charge for one month. A notice period of 14 days will be given in writing to the applicant, after which ashes will be scattered in allocated scattering areas if no instructions are recieved.

### Crematorium Scattering:

☐

Unattended Scattering

☐

Attended Scattering

☐

Eternal Oak

Scattering is carried out in the wildflower meadow during the summer months and in the woodlands during the winter months, both areas are maintained regularly.

## ► Part 7 Applicant's Confirmations - please read carefully, complete and sign.

### Holding Over of Cremations

We will normally strive to carry out all cremations on the same day as the funeral service, but in some rare circumstances, we may be unable to do so. Should this happen, we will carry out the cremation as soon as possible afterwards, and we will, in any event, always fulfil our legal obligation to cremate within 72 hours of receipt of the coffin.

### Recycling of Metals

Following cremation, all metal parts remaining will be retained for recycling in an environmentally-friendly manner. This includes orthopaedic implants and metals and residues. These metals are periodically collected, and the monies raised are donated to local or bereavement related charities.

Should you wish to dispose of the metal yourself, please indicate below and these will be returned to you.

☐

No

☐

Yes

(Please note that precious metals such as gold and silver are not recoverable after the cremation process and therefore cannot be returned. Accordingly, we recommend that any items of jewellery composed of such metals should be retained by the applicant, and not sent for cremation with the deceased).

I understand that I have read and understand the above statements.

☐

Applicant Signature



## ► Part 8 Funeral Director / Organiser Details

Name

Company

Address

Telephone number

Email

Funeral Director / Organiser Signature

Date

		/			/				
--	--	---	--	--	---	--	--	--	--

## ► Part 9 Funeral Director / Organiser Confirmations - Please read carefully, complete and sign

### Pollution Prevention and Control Act 1999

The above named act places statutory responsibility on the Cremation Authority to control the type of materials used in coffins and their fittings to prevent and render harmless emissions from the crematorium. There is also a requirement that Funeral Directors assist in the emission free process by conforming with the instructions issued in the Environmental Permit for this cremation authority.

These are set out below:

Coffins containing the following materials are not permitted to be incinerated. PVC and melamine coffins or coffin furniture. Cardboard coffins containing chlorine in the wet-strength agent. (e.g. polyamidoamine-epichlorhydrin based resin (PAA-E)) Polychlorinated plastic used for foetal remains. Coffins containing lead or zinc.

### Construction of the Coffin

The coffin must be made of wood or a wood by product which, when placed in the cremator and subjected to the accepted cremation process, is easily combustible and which does not emit smoke, give off any toxic gas or leave any retardant smears or drips and combustion. No metal furniture or fittings shall be used on the coffin. No metal of any kind shall be used in the manufacture of such coffin except as necessary for its safe construction and then only metal of a high ferrous content. The use of polystyrene must be restricted to the coffin nameplate only in which case it must not exceed 90 grams in weight. The use of saw dust, cotton wool or shredded paper within the coffin should be avoided.

### Clothing and Coffin Content

Clothing should be of natural fibres and shoes or any material manufactured from PVC should not be included. No items manufactured from copper shall be permitted. Easily removable prostheses or casts of plaster or other material should not be included. Additional items, particularly glass or plastic should not be placed in the coffin. No alcohol shall be placed in the coffin. No cups, ceramics or metal items should be placed inside the coffin.

I HEREBY CERTIFY that I have read the above statement and that the coffin containing the body of the deceased referred overleaf meets the above requirements.

☐

Funeral Director / Organiser Name

Funeral Director / Organiser Signature